## Rocket® C\Prof

## Intuitive transaction profiling for IBM® CICS®

IBM® Customer Information Control System (CICS®) Transaction Server for z/OS is a critical part of your mainframe environment. Ensuring that applications are running well and the ability to quickly find and fix errors are daily requirements. But reproducing a problem and identifying solutions with existing tools can be tedious, time consuming, and expensive.

Rocket® C\Prof helps organizations get more business and operational value from CICS internal trace data. Whether you're an application developer, systems programmer, support person, project lead, tester or analyst, C\Prof provides the added details you need to diagnose problems in your CICS applications faster—with minimal impact on your business-critical applications.

#### **Benefits:**

- Reduces downtime and helps users quickly resolve issues thanks to on-demand trace data
- Operates externally to CICS
- Provides comprehensive application analysis with an easy-to-use interface







## Holistic, intuitive, and easy to use

Quickly identify problem transactions and drill down to see application events in detail. C\Prof lets you see individual transactions execute across multiple CICS regions, so you can spend less time sorting through diagnostic data and more time solving problems. It's intuitive, easy to use, and provides value to staff across a range of roles and responsibilities.

### Easily identify problems, minimizing downtime

	Program  DATABUS DATABUS DATABUS IFWIR AP 00E1 EIP WFWIR AP E160 EXE	0.79% 0.30% 0.55% 36.89% ENTRY READ RED(0004)	psed Time         Call           0.000047         LINK           0.000018         ASSIGN           0.000033         GET CONTAIN           0.002197         READ	Resource DATABUS	EIBRESP OK OK	Command  LINK PROGRAM('DATABU:
FUWFWIR FUWFWIR FUWFWIR 15:47:30.426942 FUWF 15:47:30.426947 FUWF 15:47:30.426951 FUWF	DATABUS  DATABUS  VFWIR AP 00E1 EIP	0,30% 0,55% 36.89%	0.000018 ASSIGN 0.000033 GET CONTAIN			
FUWFWIR  FUWFWIR  15:47:30.426942 FUWF 15:47:30.426947 FUWF 15:47:30.426951 FUWF	DATABUS  DATABUS  VFWIR AP 00E1 EIP	0.55% 36.89%	0.000033 GET CONTAIN	I	OK	
FUWFWIR  15:47:30.426942 FUWF 15:47:30.426947 FUWF 15:47:30.426951 FUWF	DATABUS NFWIR AP 00E1 EIP	0.55% 36.89%		i		ASSIGN COBOLII STMT
15:47:30.426942 FUWF 15:47:30.426947 FUWF 15:47:30.426951 FUWF	WFWIR AP 00E1 EIP	36.89%			OK	GET CONTAINER('reque
15:47:30.426942 FUWF 15:47:30.426947 FUWF 15:47:30.426951 FUWF	WFWIR AP 00E1 EIP			PAYROLL	OK	READ FILE('PAYROLL')
15:47:30.426963 FUWE 15:47:30.426968 FUWE 15:47:30.426976 FUWE 15:47:30.426976 FUWE 15:47:30.426980 FUWE 15:47:30.426980 FUWE 15:47:30.426980 FUWE 15:47:30.426981 FUWE 15:47:30.426981 FUWE 15:47:30.426985 FUWE 15:47:30.426985 FUWE 15:47:30.426985 FUWE 15:47:30.426998 FUWE 15:47:30.426999 FUWE	WFWIR   DD   0301   DDL    WFWIR   DD   0302   DDL    WFWIR   DD   0302   DDL    WFWIR   X5   0701   XSR    WFWIR   X5   0702   XSR    WFWIR   AP   0405   TSP    WFWIR   AP   600   TMP    WFWIR   AP   EA00   TMP    WFWIR   AP   EA01   TMP    WFWIR   AP   F001   XCP    WFWIR   AP   F001   XCP    WFWIR   AP   F002   ZIS    WFWIR   AP   F002   ZIS    WFWIR   WFWIR   AP   E002   ZIS    WFWIR   AP   F002   ZIS	D ENTRY LOCATE DIRECTO D EXIT LOCATE/OK DATA C ENTRY CHECK_CICS_RES ENTRY CONVERSE REQUIC ENTRY LOCATE TO[FWAR ENTRY LOCATE TABLE(T EXIT LOCATE TABLE(T ENTRY LOCATE TABLE(T ENTRY LOCATE TABLE(T ENTRY LOCATE TABLE(T ENTRY LOCATE TABLE(T EXIT LOCATE T EXIT LOCATE TABL	DRY_TOKEN(26FB6BC0) ENTRY A_TOKEN(00000000 , 26FB7/ SOURCE RESOURCE (PAYROLL) SOURCE/OK 1000000000000000000000000000000000000	Y_NAME(26F299E1) L SC0) RESOURCE_TYPE(FIL  (NOT_FOUND)  DRESS(27025390) RE  ADDRESS(24141000)	OCKING_MODE(CALLE E) ACCESS(READ)  SPONSE(NORMAL)  RESPONSE(NORMAL)	JITIONAL(NO) BYPAS <u>S</u> SECURI ER) DIRECTORY_NAME(FCT) NA

# Increase insight while minimizing CICS resource drain

Stop pulling precious resources away from business-critical applications. C\Prof runs outside of the CICS address space and requires no changes to CICS itself. You can collect and interpret the trace data with significantly less impact on your business operations. Two different operating modes allow you to profile transactions from an application perspective, or to collect trace data to diagnose system problems.








## Capture and analyze problems as they occur

C\Prof lets you can capture a problem as it occurs, potentially reducing the need to reproduce it. In less than a second, you can take a point-in-time snapshot of the CICS internal trace data and write it to an auxiliary trace data set. Now you can capture and analyze problems when they first occur without waiting for them to happen again.

## Quickly and easily analyze a transaction right within Rocket C\Prof







## Features/Functionality:

### Whether collecting data continuously or in short bursts, the insights captured by C\Prof allow you to:

- Select transactions based on your criteria; for example, transaction name and response time
- Sift through millions of transactions with powerful find, filter, save, and sort capabilities
- Identify all the programs used by a transaction, and the performance profile of each program
- Follow the program flow across multiple CICS regions
- Review all the application calls made by each program—including EXEC CICS as well as Db2, JCICS, MQ, and IMS—in rich detail and with elapsed time analysis
- Dive deep into the trace events associated with each transaction or application call in order to identify the cause of a delay or problem

## Tech Specs:

#### Rocket C\Prof V1.2 has the following requirements:

- IBM System z10 or subsequent 64-bit z/Architecture processor
- z/OS V2.2 or later
- CICS Transaction Server for z/OS V5.1 or later
- IBM 64-bit SDK for z/OS, Java Technology Edition, V8 or later (required for web server)
- Google Chrome (recommended for web user interface)





RS CProf DS Sept2019 v3



© Rocket Software, Inc. or its affiliates 1990-2019. All rights reserved. Rocket and the Rocket Software logos are registered trademarks of Rocket Software, Inc. Other product and service names might be trademarks of Rocket Software or its affiliates







